

IV. CONCLUSIONS

Problems connected to the environmentally sound waste disposal are continuously growing, while the issue of an efficient disposal is highly ranked or even remains in the first plane. In many regions all over the country, landfills have been saturated. People thinking that a new landfill generates health problems are opposing their establishment. An answer to the high cost and the restrictions to waste types being accepted by municipalities could be found to the community's ability to choose alternative uses for waste products nowadays remaining unexploited. For such a goal to be achieved, highway construction works must be considered, since they are a broad technical field. In this frame, the option of slag use as aggregate material is very promising. Of course, reliable laboratory controls, extensive on-site evaluations, practical utilization in different projects and comprehensive research there remains to be performed in the near future.

A crucial factor for the successful use of a particular slag is the type of the material, which basically depends on the procedures followed in the metallurgy industry. So, criteria are needed for the mechanical behaviour of waste materials, especially slag, in road pavement construction. For a complete design procedure, a proper quantification of samples it is also needed.

Industrial by-products are a challenging way of saving energy and protecting the environment. The slags tested in the laboratory conform to Greek specifications and could be play a role in the construction of pavement layers. The comparison to conventional materials has proved that the benefits from the use of specific slags produced in Greece, particularly near roadway construction sites, will enhanced the technical, environmental, economic and social features of highway works.

References

- [1] H. Motz, H. and Geiseler, J. (2001). . Journal of Waste Management, vol. 21, No. 3, pp. 285-293.
- [2] IA. Altun, "Study on steel furnace slags with high MgO as additive in Portland cement." Cement and Concrete Research, vol. 32, No. 8, 2002, pp. 1247-1249.
- [3] O. Omer, Y. Isa, and M. Ozgur, "Strength properties of concrete incorporating coal bottom ash and granulated blast furnace slag." Journal of Waste Management, vol. 27, No. 2, 2007, pp. 161-167.
- [4] A. Monshi, and M.K. Asgarani, "Producing Portland cement from iron and steel slags and limestone." Cement and Concrete Research, vol. 29, 1999, pp. 1373-1377.
- [5] P.H. Shih, Z.Z. Wu, and H.L. Chiang, "Characteristics of bricks made from waste steel slag." Waste Management. vol. 24, No. 10, 2004, pp. 1043-1047.
- [6] S.V. Dimitrova, "Metal sorption on blast-furnace slag." Water Research, vol. 30, 1996, pp. 228-232.
- [7] H.J. Kang, K.G. An, and D.S. Kim, "Utilization of steel slag as an adsorbent of ionic lead in wastewater." Journal of Environmental Science and Health Part A-Toxic/Hazardous Substances and Environmental Engineering, vol. 39, No. 11-12, 2004, pp. 3015-3028.
- [8] M. Maslehuddin, A.M. Sharif, and M. Shameem, "Comparison of properties of steel slag and crushed limestone aggregate concretes." Construction and Building Materials, vol. 17, 2003, pp. 105-112.
- [9] H. Beshr, A.A. Almusallam, and M. Maslehuddin, "Effect of coarse aggregate quality on the mechanical properties of high strength concrete." Construction and Building Materials, vol. 17, 2003, pp. 97-103.
- [10] M.M.A. Aziz, M. Shokri, A. Ahsan, H.Y. Liu, L.Tay, and N.H. Muslim, "An overview on performance of steel slag in highway industry." Journal of Advanced Review on Scientific Research, vol. 5, No.1, 2015, pp. 30-41.
- [11] S.P. Wu, W.F. Yang, and Y.J. Xue, "Design and preparation of steel slag SMA." Journal of Wuhan University of Technology-Materials Science Edition, vol. 18, No. 3, 2003, pp. 86-88.
- [12] I. Liapis, and S.Likoydis, "Use of electric arc furnace slag in thin skid-resistant surfacing." Procedia - Social and Behavioral Sciences, vol. 48, 2012, pp. 907-918.
- [13] A. Prapidis, G. Ntoulis, and B. Zotiadis, "Slag use in skid resistant asphalt mixtures based on engineering and environmental criteria." Proceedings Heleco '05. Technical Chamber of Greece, Athens, 2005, 8 p. (In Greek)
- [14] N. Economou, and P. Eskioglou, "Metallurgical slag use in the construction of skid resistant microsurfacing." Proceedings 1st Panhellenic Congress EVIPAR "Exploitation of industrial by-products in building", 2005, pp. 439-447.
- [15] V.G. Havanagi, A.K. Sinha, V.K. Arora, and S. Mathur, "Waste materials for construction of road embankment and pavement layers." International Journal of Environmental Engineering Research, vol. 1, Issue 2, 2012, pp. 51-59.
- [16] S. Wu, Y. Xue, Q. Ye, and Y. Chen, "Utilization of steel slag as aggregates for stone mastic asphalt (SMA) mixtures." Building and Environment, vol. 42, No. 7, 2007, pp. 2580-2585.
- [17] M.R. Hainin, G. Rusbintardjo, M.A.A. Aziz, A. Hamim, and N.I.M. Yusoff, "Laboratory evaluation on steel slag as aggregate replacement in stone mastic asphalt mixtures." Jurnal Teknologi, vol. 65, No. 2, 2013, pp. 13-19.
- [18] A. Athanasopoulou, and G. Kollaros, "Skid resistant pavements in Thrace, Northern Greece." Proceedings of the Third European Symposium on Performance and Durability of Bituminous Materials and Hydraulic Stabilized Composites. Leeds, J.G. Cabrera, and S.E. Zoorob (eds), AEDIFICATIO Publishers, 1999, pp. 105-118.
- [19] M. Pasetto, and N. Baldo, "Laboratory investigation on foamed bitumen bound mixtures made with steel slag, foundry sand, bottom ash and reclaimed asphalt pavement." Road Materials and Pavement Design, vol. 13, No. 4, 2012, pp. 691-712.
- [20] A. Behnood, and M. Ameri, "Experimental investigation of stone matrix asphalt mixtures containing steel slag." Scientia Iranica vol. 19, No. 5, 2012, pp. 1214-1219.
- [21] Ministry of Environment, Land Use Planning and Public Works, "Technical guidelines for the construction of a skid resistant asphalt concrete layer." Public Works Secretariat General, Division of Asphalt Materials and Pavements (E2), Athens, 1985. (In Greek)