



















[Hevin 1998] : Hevin G., «Utilisation des ondes de surface pour l'auscultation des structures en génie civil ; application à la caractérisation des fissures de surface», thèse de doctorat, université de Grenoble 1998.

[Hornibrook 1930]: Hornibrook F B., «Application of sonic method to freezing and thawing studies of concrete», ASTM, Bull., 101, 5, 1939.

[Jones 1948]: Jones R., «The application of ultrasonic to the testing of concrete», research, 383, London, 1948.

[Jones 1954]: Jones R., «Testing of concrete by an ultrasonic pulse technique», RILEM int. symp. On non-destructive testing of materials and structures, paris, vol. 1, paper n° A17, janvier 1954.

[Jones 1962]: Jones R., «Non-destructive testing of concrete», Cambridge university press, London, 1962.

[Jones et al 1969]: Jones R, Facaoaru I., «Recommandations for testing concrete by the ultrasonic pulse method», Materials and structures, res. testing (Paris) 2 (19), 275, 1969.

[Kaplan 1959]: Kaplan M F., «The effect of age and water to cement ratio upon the relation between ultrasonic pulse velocity and compressive strength of concrete», mag. Concrete, res., 11(32), 85, 1959.

[Kharat 1997] : Kharat Y., «Auscultation des structures en béton par tomographie

sonique de vitesse d'atténuation», thèse de doctorat, université de Sherbrooke, 1997.

[Leslie et al 1949]: Leslie J R., «Cheesman W J., «Ultrasonic method of studding deterioration and cracking in concrete structures», Structures, ACI J. proceeding, 46 (1), 17, 1949.

[Obert 1939]: Obert L., «Sonic method of determining the modulus of elasticity of building materials under pressure», proceeding ASTM, 39, 987, 1939.

[Powers 1938]: Powers T C., «Measuring young's modulus of elasticity by means of sonic vibrations», proceeding ASTM, B8 (part II), 460, 1938.

[Qixian et al 1996]: Qixian L, Bungey J H., «Using compression wave ultrasonic transducers to reassure the velocity of surface waves and hence determine dynamic modulus of elasticity for concrete construction and building materials», Elsevier, 1996.

[RILEM 1972]: RILEM recommendations NDT, testing of concrete by the ultrasonic pulse method, Paris, 1972.

[Sahebi 1996] : Sahebi M., «Application de la tomographie sonique au diagnostic du béton ; possibilités et limites», maitrise en sciences appliquées, université de Sherbrooke, 1996.

[Sturup et al 1984]: Sturup V R, Vechio R J, Caratin H., «Pulse velocity as a measure of concrete compressive strength», ACI SP

82-11, American concrete institute,  
Farmington hills, MI, 1984.

[Thomson 1940]: Thomson W T.,  
«Measuring changes in physical properties  
of concrete by the dynamic method»,  
proceeding ASTM, 40, 1113, 1940.

[Wu et al 1995]: Wu T, Fang J, Liu G, Kuo  
M., «Determination of elastic constants of  
concrete specimen using transient elastic

waves», the journal the acoustical society,  
1995.

[Zhou et al 1995]: Zhou FP, Lydon F D,  
Barr B., «Effect of coarse aggregate on  
elastic modulus and compressive strength  
of high performance concrete», cement and  
concrete research, Elsevier, 1995.